



OPTIMIZATION OF PRODUCTION, TECHNOLOGICAL, AND SUSTAINABILITY FACTORS INFLUENCING BIOETHANOL PRODUCTION IN INDUSTRIAL BIOTECHNOLOGY

Ishitta Sarkar¹, Dr. Manokamana Ram², Dr. Ambika Kumar³, Aishwarya Rajput⁴, Sushmita Maleysm⁵, Dr. Yogita Abhijeet Jamdade⁶

¹Department of Biotechnology, Kanpur Institute of Technology (KIT), Dr. A.P.J. Abdul Kalam Technical University (AKTU), Kanpur, Uttar Pradesh, India, Email Id: ishittasarkar7@gmail.com, Orcid Id: 0009-0008-1028-6010

²Assistant Professor in Economics, Department of Economics, Faculty of Social Sciences, Banaras Hindu University, Varanasi (UP, India)-221005, Email Id: manokamana@bhu.ac.in

³Assistant Professor, Department of Chemistry, Bhagalpur National College, Bhagalpur – 81200, (A Constituent Unit of TMBU Bhagalpur), Bihar, India, Email ID: ak.fche@bncollegebhp.ac.in Orcid ID: 0000-0001-9754-946X

⁴Research scholar, Department of pharmacy Pharmaceutical chemistry, Banasthali vidyapith, niwai, rajasthan, 304022, Kailashaish@gmail.com

⁵Research scholar, Department of Biosciences and Biotechnology, BANASTHALI VIDYAPITH TONK, NEWAI RAJASTHAN 304022, sushmitamaleys@gmail.com

⁶Professor & HOD, Samhita Siddhanta and Sanskrit, PDEA'S College of Ayurved and Research Centre, Nigdi, Pune, E-mail ID: dryogitaaj@gmail.com, ORCID ID: 0009-0001-0494-1452

Received date: 20-02-2026

Accepted date: 14-06-2026

Revised date: 10-05-2026

Published date: 25-06-2026

Abstract

Considering the benefits of cleaner energy production and dependence upon fossil fuels, bioethanol is an emerging renewable biofuel and also important for industrial biotechnology. This study assessed production, technological, economic and sustainability factors affecting the bioethanol growth from a structured data set of 2000 observations. Feedstock yield, production capacity, processing technology efficiency, energy use, feedstock cost, transportation cost, distribution cost, carbon emissions, water use, market demand, price per gallon, government incentive status, and bioethanol growth were all variables. Descriptive statistics, Pearson correlation, independent-samples t-test, chi-square analysis, and multiple linear regression were used. The outcomes revealed that most of the production, economic and sustainability variables were weakly associated with the bioethanol growth. Only the processing technology efficiency proved to be statistically significantly linked to bioethanol development and that only in a small measure. There was no significant difference between the mean value of bioethanol growth for the different incentive status of the government. Only a small percentage of the overall variation was accounted for by the regression model, which suggests that other biological and process-specific factors may affect production performance. The results indicate that optimal bioethanol production and utilization should be considered from multiple aspects, including technology efficiency, feedstock utilization, economic analysis, sustainability indicators and fermentation related aspects. In the future, the studies should be performed in conjunction with microbial, enzymatic and operational parameters to increase the understanding of bioethanol production efficiency.

Keywords: Bioethanol; Industrial biotechnology; Process optimization; Sustainability; Production efficiency

1. Introduction

Bioethanol is an important renewable fuel due to the need to reduce the dependence on fossil fuels and the need to create cleaner energy systems. It is manufactured using biological resources like sugar-rich crops, starch-based feedstocks, lignocellulosic biomass, agricultural residues and recently, algal resources. However, bioethanol has potential environmental benefits over traditional petroleum-derived fuels, especially if its utilization is combined with optimized use of resources and environmentally friendly industrial processes. Thus, its application to renewable energy systems has been growing significantly over the past few years particularly with the emergence of the search for such alternatives that could satisfy both energy security and reduce carbon development. Additionally, improvements in renewable biofuels technology have further bolstered the viability of bioethanol as a viable part of the journey to greener energy systems (El-Araby, 2024). In a biotechnology point of view, biofuel production is an important application of bio conversion processes for long term challenges of energy and sustainability (Nath, 2024). However, the environmental benefits of biofuels are highly dependent on the efficiency with which they are produced, processed and integrated into broader energy-transitions plans (Rial, 2024).

Bioethanol production is a complex process that consists of feedstock preparation, hydrolysis, fermentation, separation and purification, and process integration, all of which are modern. The productivity of these phases can significantly affect production yields and profitability. New and emerging integrated biorefinery concepts and the adoption of other raw materials have paved the way for enhanced bioethanol productivity, minimized waste and enhanced resource recovery (Duque et al., 2021). Meanwhile, technological advancements from one generation of feedstocks to another have extended the variety of materials that can be processed to produce ethanol and increased the viability of producing ethanol at industrial scale. (Devi et al., 2023) Selection of feedstock is especially significant as it determines production capacity, energy use and final cost and there are variations in yield, availability, composition and processing requirements. More recent research has highlighted the need to increase the value of bioethanol and effective use of different feedstocks to make the bioethanol system more economically viable (Mwanyesya et al., 2025). Starch-rich crops are still significant, and enhanced conversion technologies are being investigated to enhance the efficiency and sustainability of these (Kumar et al., 2025).

Lignocellulosic and non-conventional feedstocks have become the focus of interest since they could help minimize the competition for food resources and allow for more sustainable production routes. For instance, switchgrass is an attractive renewable feedstock, given its potential for biomass production and suitability for pretreatment and conversion processes (Unyay et al., 2024). Seaweed biomass has also been the focus due to its potential for bioethanol production and its potential to reduce carbon sequestration on the environment (Mohamed et al., 2025). The use of algal biomass in third-generation bioethanol technologies also exemplifies the potential for synergizing new biological resources with effective production facilities (Melendez et al., 2025). These advances suggest that the quality of the production performance is now becoming more dependent upon the availability of the feedstocks, as well as technological efficiency, energy requirement, and process optimization (Abdelaziz et al., 2025; Agboola et al., 2023).

Another point to be taken into consideration is economic and environmental sustainability about the industrial expansion of bioethanol. Optimisation of the production systems of biofuels has become the focus of efforts to boost productivity, cut resource usage and enhance industrial viability (Jeguirim and Zorpas, 2023). The sustainability of lignocellulosic bioethanol production and its long-term implementation can be significantly impacted by economic considerations, technological advancements, policy support, and social factors (Afedzi et al., 2025). Furthermore, bioethanol production on a large scale must consider the efficiency of the supply chain, carbon emissions, water use and environmental effects, if the production of bioethanol is to have a sustainable effect (Wietschel et al., 2021). Even with all the technological advances, integrated assessments, which consider production, technological and economic indicators, as well as sustainability indicators, are still needed. The identification of the most significant factors in relation with the bioethanol growth can therefore help to improve the planification of bioethanol production, the technological efficiency and the sustainability of industrial biotechnological applications.

Objectives:

- ☐ To assess the production, technological, economic, and sustainability characteristics associated with bioethanol production.
- ☐ To determine the relationships between major production factors and bioethanol growth.
- ☐ To identify the key factors influencing bioethanol production performance for improved industrial biotechnology applications.

2. Materials and Methods

2.1 Study Design

This study was designed with quantitative analytical method to assess the production, technological, economic and sustainability aspects of bioethanol production through industrial biotechnology. A structured set of data on bioethanol production, including various indicators for bioethanol production for various countries and years was used for the analysis. The study aimed to establish the connections between the main operational and sustainability variables, identifying relationships between these and the growth of bioethanol production and finding factors that could help to optimize production performance.

2.2 Data Source and Sample

The total number of observations used for this study was 2000, which were chosen from the larger bioethanol

production data set (KhajaAhmed1., 2024). Every observation contained data about conditions for the bioethanol production, about the technological efficiency, resource utilization, about economic factors and about the growth of bioethanol production. Data was drawn from various years and countries, so that the differences in bioethanol production in various industrial and economic conditions could be observed. None of the values were missing in the selected dataset, so all 2,000 observations were kept for the final analysis.

2.3 Study Variables

In the study, various variables were incorporated that are related to different aspects of the bioethanol production process. Production related variables were the feedstock yield and production capacity. Processing technology efficiency and energy consumption were used as indicators of technological performance. Economic factors were the cost of feedstock, transportation cost, distribution cost, market demand and the price per gallon. Carbon and water emissions were some of the indicators considered under the sustainability category. The categories of government incentive status, country and year were added to describe the temporal and geographical distribution of observations. Production performance was deemed to be the main outcome variable for bioethanol production.

2.4 Data Preparation and Processing

The data was first reviewed for completeness, consistency, duplicate data and correct variable format. In the case of the numerical variables, their quantitative nature was verified and that they could be used in statistical analysis. The variables "country" was considered a categorical variable and "government incentive status" was considered a binary categorical variable. All other production, economic, technological, environmental and outcome variables were considered as continuous numerical measures. A check for missing values revealed that there was no missing data in any of the 15 variables in the 2000 observations. The cleaned data was then analysed using descriptive and inferential statistics.

2.5 Assessment of Production and Technological Factors

Production capacity and feedstock yield were identified as important production-related traits which may affect the overall performance of bioethanol production. Energy consumption was used as an operational input related to industrial processing, and processing technology efficiency as a measure of technological performance. A correlation analysis was performed to investigate the relationship between these variables and bioethanol growth and check if there were any improvements in production capability and processing efficiency in relation to the bioethanol growth.

2.6 Assessment of Economic and Sustainability Factors

Cost of feedstock, transportation cost, distribution cost, market demand and price per gallon were used to measure economic performance. These were investigated to identify any possible correlation with bioethanol growth and industrial performance. Energy consumption, carbon emissions, and water use were chosen as indicators of sustainability as these represent key environmental and resource issues associated with large-scale bioethanol production. Government incentive status was also analysed to see if there were differences in the performance of bioethanol production for the different policy supports.

2.7 Statistical Analysis

Mean, standard deviation, minimum and maximum were used for continuous variables and frequency, and percentage were used for categorical variables. The Pearson correlation analysis was employed for the study of relationships between continuous variables and bioethanol growth. Multiple linear regression was used to determine the factors that were significant for bioethanol growth. Relevant group comparisons and categorical associations were made using independent-samples t-test and chi-square tests, respectively. Statistically significant differences were considered as p values < 0.05 .

2.8 Ethical Considerations

The study was carried out exclusively with a secondary data set and no contact with humans was made and no personally identifiable information collected. Only for academic and research purposes, the data were analysed. Hence, there was no direct risk to individuals, and confidentiality and responsible use of the data set were ensured during the study.

3. Results


3.1 Distribution of the Study Observations

A total of 2,000 observations were included in the analysis, covering five countries and the period from 2000 to 2024. Germany contributed the largest proportion of observations (21.5%), followed by China (21.3%), India (20.2%), the USA (18.9%), and Brazil (18.1%). Government incentives were absent in 68.7% of the observations and present in 31.4% (Table 1).

Table 1. Distribution of observations by country and government incentive status

Characteristic	Category	Frequency (n)	Percentage (%)
Country	Germany	430	21.5
	China	427	21.3
	India	404	20.2
	USA	378	18.9
	Brazil	361	18.1
Government incentive	No	1,373	68.7
	Yes	627	31.4

Bioethanol growth ranged from 0.010 to 14.994, with an overall mean of 7.347 ± 4.308 . The distribution was relatively broad across the observed range, as illustrated in Figure 1.

**Figure 1. Distribution of Bioethanol Growth**

3.2 Descriptive Characteristics of Production, Technological, Economic, and Sustainability Factors

The mean feedstock yield was 3.003 ± 0.881 , while mean production capacity was 175.431 ± 43.197 . Processing technology efficiency averaged 0.825 ± 0.072 . Mean energy consumption was 533.732 ± 19.579 , whereas carbon emissions and water usage averaged 5.468 ± 2.580 and 338.285 ± 79.902 , respectively. The descriptive characteristics of all major continuous variables are presented in Table 2.

Table 2. Descriptive statistics of major bioethanol production variables

Variable	Mean	SD	Minimum	Maximum
Feedstock yield	3.003	0.881	1.502	4.497
Production capacity	175.431	43.197	100.106	249.951
Processing technology efficiency	0.825	0.072	0.700	0.950
Energy consumption	533.732	19.579	500.029	567.970
Feedstock cost	200.229	58.247	100.012	299.952
Transportation cost	6.524	0.855	5.007	7.997
Distribution cost	14.565	2.621	10.002	18.997
Carbon emissions	5.468	2.580	1.000	9.999

Water usage	338.2 85	79.9 02	200.079	474.865
Market demand	137.4 26	21.4 95	100.025	174.947
Price per gallon	3.010	1.14 7	1.006	4.994
Bioethanol growth	7.347	4.30 8	0.010	14.994

Country-wise mean bioethanol growth was highest in Brazil (7.493), followed by the USA (7.448), Germany (7.351), China (7.325), and India (7.142). These descriptive differences are shown in Figure 2.




Figure 2. Mean Bioethanol Growth by Country

3.3 Correlation of Production and Sustainability Factors with Bioethanol Growth

Pearson correlation analysis revealed that generally, the relations between the variables studied and bioethanol growth were weak. The most significant relationship was in the case of processing technology efficiency, which was negatively correlated with bioethanol growth, albeit very slightly ($r = -0.055$, $p = 0.014$). There was also a weak negative relationship with feedstock cost which, however, was not significant ($r = -0.038$, $p = 0.088$). There was a slight positive correlation between feedstock yield and the $r = 0.033$, $p = 0.146$. There were no significant relationships found for production capacity, energy use, transportation cost, distribution cost, carbon emissions, water use, demand, or price per gallon (Table 3).

Table 3. Pearson correlations between major factors and bioethanol growth

Variable	Pearson r	p-value
Feedstock yield	0.033	0.146
Production capacity	-0.017	0.449
Processing technology efficiency	-0.055	0.014
Energy consumption	0.017	0.453
Feedstock cost	-0.038	0.088
Transportation cost	0.012	0.586

Distribution cost	0.031	0.163
Carbon emissions	0.019	0.396
Water usage	0.002	0.940
Market demand	0.006	0.791
Price per gallon	0.008	0.721

The weak inverse relationship between processing technology efficiency and bioethanol growth is visually demonstrated in Figure 3. The broader correlation pattern among major production, technological, and sustainability variables is presented in Figure 4.




Figure 3. Processing Technology Efficiency and Bioethanol Growth




Figure 4. Correlation Matrix of Major Bioethanol Variables

3.4 Bioethanol Growth According to Government Incentive Status

Observations without government incentives had a mean bioethanol growth of 7.439 ± 4.282 , compared with 7.146 ± 4.362 among observations receiving government incentives. The mean difference was 0.293, but the independent-samples comparison showed that this difference was not statistically significant ($t = 1.400$, $p = 0.162$). The 95% confidence interval for the mean difference ranged from -0.118 to 0.703, as shown in Table 4.

Table 4. Comparison of bioethanol growth according to government incentive status

Government incentive	n	Mean growth	SD
No	1,373	7.439	4.282
Yes	627	7.146	4.362

$t = 1.400$; $p = 0.162$; mean difference = 0.293; 95% CI = -0.118 to 0.703.

3.5 Factors Influencing Bioethanol Growth

The bioethanol growth was determined by multiple linear regression of production variables, technological, economic, sustainability, and policy variables. However, the model accounted for only 0.9% of the variance in bioethanol growth ($R^2 = 0.009$, adjusted $R^2 = 0.003$) and the model was not statistically significant overall ($F = 1.441$, $p = 0.140$). Processing technology efficiency was the only individual predictor that was statistically significant ($B = -3.256$; $p = 0.015$), with a weak negative association remaining after adjusting for the other variables. As shown in Table 5, all the predictors except for feedstock cost had p-values > 0.05 with feedstock cost approaching statistical significance ($B = -0.0028$, $p = 0.096$).

Table 5. Multiple linear regression analysis of factors associated with bioethanol growth

Predictor	B	SE	t	p-value
Feedstock yield	0.171	0.110	1.555	0.120
Production capacity	-0.002	0.002	-0.652	0.515
Processing technology	-	1.3	-	0.015

efficiency	3.256	43	2.424	
Energy consumption	0.00 3	0.0 05	0.6 31	0.528
Feedstock cost	- 0.003	0.0 02	- 1.667	0.096
Transportation cost	0.06 0	0.1 13	0.5 28	0.598
Distribution cost	0.05 6	0.0 37	1.5 11	0.131
Carbon emissions	0.03 2	0.0 37	0.8 51	0.395
Water usage	0.00 02	0.0 01	0.1 72	0.863
Market demand	0.00 1	0.0 05	0.1 17	0.907
Price per gallon	0.01 2	0.0 84	0.1 45	0.885
Government incentive	- 0.286	0.2 08	- 1.374	0.170

In general, the results suggest that the explanatory power of the production, economic and sustainability variables selected in this dataset was limited for predicting bioethanol growth. Growth was statistically related to processing technology efficiency, but with a small effect size. Hence, the results should be viewed as identification of statistical association, and not as evidence for the independent determination or optimization of bioethanol production by a single factor.

4. Discussion

The current study has analysed production, technological, economic and sustainability indicators based on a vast data set of indicators industrially relevant to the growth of bioethanol. Results indicated that none of the individual variables was highly correlated with bioethanol growth; however, only processing technology efficiency was statistically significant in the multivariable model. This indicates that technological improvement does not necessarily lead to increasing bioethanol production if it is not combined with the right feedstock conditions, process integration, economics and resource management. It is known that microbial, operational and optimization related factors affect bioethanol production and not a single production factor. Likewise, it was observed that the combined effect of the processing parameters is more significant than the individual effects of each parameter in the overall productivity of ethanol production (Altınışık et al., 2025).

The relatively loose correlations found for production capacity, feedstock yield, energy use and cost related factors might be the result of the complexity of industrial bioethanol systems. If production losses, pretreatment limitations or inefficient conversion stages exist, then the large production capacity does not necessarily guarantee greater growth. The significance of the integration of pretreatment and fermentation and reducing the process complexity while achieving high conversion efficiency at the reactor level has been proven (Deb et al., 2024). Technological advancements like membrane-based separation and recovery systems have also been suggested to enhance the performance of the separation process and minimize the use of energy and improve product recovery (Dey et al., 2020). Similarly, to produce bioethanol from lignocellulosic materials, the entire process optimization including pretreatment, hydrolysis, fermentation and purification is crucial to maximize the efficiency of the process (Fansuri et al., 2024).

Thus, the statistically significant negative correlation between processing technology efficiency and the growth of bioethanol should be viewed with care. It can be a sign that the high efficiency technologies have been introduced in more mature or less resource-rich production systems with growth rates already stabilised. However, the physical factors of fermentation (temperature, pH, inoculum level and fermentation time) which are required to achieve a successful fermentation process were not considered in the present data set (Muhamad et al., 2021). Advanced analytical and computational methods have even been applied to optimize industrial production of bioethanol, which revealed that technological factors present complex, nonlinear relationships, meaning that simple linear relationships may underestimate the actual contribution of the technological factors (Pereira et al., 2020).

All economic factors (feedstock cost, transportation cost, distribution cost, market demand and bioethanol price) introduced in the present analysis failed to account for a significant portion of the bioethanol growth. However, for industrial viability these are important considerations. The competitiveness of advanced biofuel production systems can be significantly affected by cost structures, automation and technological investments (Priya & Yadav, 2025). However, the effect of the feedstock pretreatment method on energy and chemical consumption, as well as on the yield of fermentable sugars, can also differ depending on the efficiency of the pretreatment process (Shukla et al., 2023). Coordinated changes in feedstock handling, conversion efficiency and infrastructure (Susmozas et al., 2020) are also necessary to process transition from conventional first-generation systems to advanced production pathways.

The low explanatory power of the regression model reflects the knowledge that several biological and engineering factors are involved in the production of ethanol and the interactions between these factors are complex (Tse et al., 2021). For example, the efficiency of enzymatic hydrolysis is significantly different between different lignocellulosic sources

and can directly influence the amount of sugar released and, consequently, the amount of ethanol produced in the downstream processes (Vasić et al., 2021). Additionally, process design, energy consumption, and environmental performance must be considered in broader sustainability assessments in a simultaneous manner and not as individual indicators (Pasha et al., 2021). Furthermore, industrial enzyme systems continue to play a crucial role in biotechnology as they can significantly impact conversion efficiency in various industrial applications, such as enzyme production, stability, and application.

The results show that in general, no single indicator will be able to optimize the bioethanol production performance. It is suggested that future studies should include direct fermentation parameters, microbial strain data, pretreatment parameters, process level enzyme activity, and economic and sustainability parameters. The highly integrated datasets would offer a more robust foundation for revealing actionable solutions to increase bioethanol yield and sustainability in industrial biotechnology.

5. Conclusion

This study assessed production, technological factors, economic and sustainability aspects in growing bioethanol in industrial biotechnology. The results indicated that bioethanol production performance is dependent on a combination of factors and not on any single factor. The variables studied indicated that there was a statistically significant association with bioethanol growth, but with weak efficiency of the processing technology. In the current data set, there was limited independence of the relationship between feedstock yield, production capacity, energy use, economic costs, demand, carbon emissions, water use and government incentives and bioethanol growth. The regression model has also shown poor explanatory power, suggesting that other biological and process variables that were not used for the model development may be important contributors to the performance of industrial bioethanol. Factors like microbial strain, pH, temperature, fermentation time, pretreatment conditions, enzyme activity, substrate characteristics, and conversion efficiency might be critical factors in the final production outcomes. Thus, the optimization of bioethanol production should be done in a holistic way that incorporates better technologies, use of efficient feedstock, economic viability, environmental sustainability, and optimized fermentation process. The results give a helpful overview on the most important industrial factors based on data and indicate that more detailed data sets and investigations of the respective processes are needed to enable efficient, sustainable and economically viable bioethanol production for industrial biotechnology.

References

1. Abdelaziz, A. A., Abo-Kamar, A. M., Elkotb, E. S., & Al-Madboly, L. A. (2025). Microbial lipases: advances in production, purification, biochemical characterization, and multifaceted applications in industry and medicine. *Microbial Cell Factories*, 24(1), 40.
2. Afedzi, A. E. K., Afrakomah, G. S., Gyan, K., Khan, J., Seidu, R., Baidoo, T., ... & Parakulsuksatid, P. (2025). Enhancing economic and environmental sustainability in lignocellulosic bioethanol production: key factors, innovative technologies, policy frameworks, and social considerations. *Sustainability*, 17(2), 499.
3. Agboola, A. A., Ishola, N. B., & Betiku, E. (2023). Bioethanol production via fermentation: Microbes, modeling and optimization. In *Bioethanol: A Green Energy Substitute for Fossil Fuels* (pp. 193-227). Cham: Springer International Publishing.
4. Altınışık, S., Nigiz, F. U., Gürdal, S., Yılmaz, K., Tuncel, N. B., & Koyuncu, S. (2025). Optimization of bioethanol production from sugar beet processing by-product molasses using response surface methodology. *Biomass Conversion and Biorefinery*, 15(7), 9875-9888.
5. Deb, N., Rahman, T., Alam, M. Z., Miah, M. S., & Kamal, R. (2024). A single-reactor system for simultaneous pretreatment and fermentation of POME for bioethanol production. *International Journal of Polymer Science*, 2024(1), 5264918.
6. Devi, A., Bajar, S., Sihag, P., Sheikh, Z. U. D., Singh, A., Kaur, J., ... & Pant, D. (2023). A panoramic view of technological landscape for bioethanol production from various generations of feedstocks. *Bioengineered*, 14(1), 81-112.
7. Dey, P., Pal, P., Kevin, J. D., & Das, D. B. (2020). Lignocellulosic bioethanol production: prospects of emerging membrane technologies to improve the process—a critical review. *Reviews in Chemical Engineering*, 36(3), 333-367.
8. Duque, A., Álvarez, C., Doménech, P., Manzanares, P., & Moreno, A. D. (2021). Advanced bioethanol production: from novel raw materials to integrated biorefineries. *Processes*, 9(2), 206.
9. El-Araby, R. (2024). Biofuel production: exploring renewable energy solutions for a greener future. *Biotechnology for Biofuels and Bioproducts*, 17(1), 129.
10. Fansuri, H., Purwandari, U., Putra, S., Adhiksana, A., Junianto, I. D., Oktavian, R., & Cordiner, J. (2024). A review of the technological aspects and process optimization of bioethanol production from corn stover biomass: Pretreatment process, hydrolysis, fermentation, purification process, and future perspective. *Environmental Quality Management*, 34(2), e22336.
11. Jeguirim, M., & Zorpas, A. A. (Eds.). (2023). *Advances in biofuels production, optimization and applications*. Elsevier.
12. KhajaAhmed1. (2024). Bio ethanol production dataset [Data set]. Kaggle. <https://www.kaggle.com/datasets/khajaahmed1/bio-ethanol>.
13. Kumar, D., Thakur, G., Singh, P., Dutt, S., Mangal, V., Kumar, D., & Singh, B. (2025). Biofuel production

- from starchy crops: advanced technology and current perspectives. *Archives of Microbiology*, 207(9), 220.
14. Melendez, J. R., Lowy, D. A., Hena, S., & Gutierrez, L. (2025). Advances in Third-Generation Bioethanol Production, Industrial Infrastructure and Efficient Technologies in Sustainable Processes with Algae Biomass: Systematic Review. *Fermentation*, 12(1), 2.
 15. Mohamed, H. S., Swilam, M. M., Hamza, Z. S., Abdulqawi, A. R., Kumar, Q., & Hamed, S. M. (2025). Harnessing seaweed biomass for sustainable bioethanol production and carbon sequestration: technological advances and future prospects. *Environmental Science and Pollution Research*, 32(43), 24528-24553.
 16. Muhamad, A., Noor, S. F. M., Syahirah, N., Hamid, A. I., & Zaidi, M. A. H. M. (2021). Physical factors optimization of *saccharomyces cerevisiae* fermentation to enhance production of bioethanol: a review. *Multidisciplinary Applied Research and Innovation*, 2(2), 266-277.
 17. Mwanyesya, O. P., Mtashobya, L. A., & Emmanuel, J. K. (2025). Value addition on bioethanol produced from different feedstocks: a review of recent outlook. *Discover Applied Sciences*, 7(12), 1449.
 18. Nath, S. (2024). Biotechnology and biofuels: paving the way towards a sustainable and equitable energy for the future. *Discover Energy*, 4(1), 8.
 19. Pasha, M. K., Dai, L., Liu, D., Guo, M., & Du, W. (2021). An overview to process design, simulation and sustainability evaluation of biodiesel production. *Biotechnology for Biofuels*, 14(1), 129.
 20. Pereira, R. D., Badino, A. C., & Cruz, A. J. (2020). Framework based on artificial intelligence to increase industrial bioethanol production. *energy & fuels*, 34(4), 4670-4677.
 21. Priya, R., & Yadav, P. (2025). Cost Analysis of Artificial Intelligent-Based Biofuels Industry. *Optimizing Biofuel Production with Artificial Intelligence*, 285-310.
 22. Rial, R. C. (2024). Biofuels versus climate change: Exploring potentials and challenges in the energy transition. *Renewable and Sustainable Energy Reviews*, 196, 114369.
 23. Shukla, A., Kumar, D., Girdhar, M., Kumar, A., Goyal, A., Malik, T., & Mohan, A. (2023). Strategies of pretreatment of feedstocks for optimized bioethanol production: distinct and integrated approaches. *Biotechnology for biofuels and bioproducts*, 16(1), 44.
 24. Susmozas, A., Martín-Sampedro, R., Ibarra, D., Eugenio, M. E., Iglesias, R., Manzanares, P., & Moreno, A. D. (2020). Process strategies for the transition of 1G to advanced bioethanol production. *Processes*, 8(10), 1310.
 25. Tse, T. J., Wiens, D. J., & Reaney, M. J. (2021). Production of bioethanol—A review of factors affecting ethanol yield. *Fermentation*, 7(4), 268.
 26. Unyay, H., Perendeci, N. A., Piersa, P., Szufa, S., & Skwareczynska-Wojas, A. (2024). Harnessing switchgrass for sustainable energy: Bioethanol production processes and pretreatment technologies. *Energies*, 17(19), 4812.
 27. Vasić, K., Knez, Ž., & Leitgeb, M. (2021). Bioethanol production by enzymatic hydrolysis from different lignocellulosic sources. *Molecules*, 26(3), 753.
 28. Wietschel, L., Messmann, L., Thorenz, A., & Tuma, A. (2021). Environmental benefits of large-scale second-generation bioethanol production in the EU: An integrated supply chain network optimization and life cycle assessment approach. *Journal of Industrial Ecology*, 25(3), 677-692.